



BRYAN INDUSTRIES

PRODUCT CATALOGUE

DESIGN & CERTIFICATION | FABRICATION | PRESERVATION & STORAGE SOLUTIONS



QUALITY AUSTRALIAN
MADE PRODUCTS



INTERCEPT
AUSTRALIA

ABOUT US

Bryan Industries is now a market leader in the design, manufacture and distribution of Australian Made & Owned certified transport frames, steel pallets and specialised products nationally. Our engineering team design the transport frames, steel pallets, hold down bolting systems and specialised products all in house turning ideas into reality.

Bryan Industries are committed to providing safer transport and storage alternatives for our customers with over 50 years of combined engineering and mechanical experience, gained from working in the manufacturing, mining, food processing, water management and construction industries. Our team of over 85 employees through our manufacturing workshop operations demonstrate a commitment to safety leadership, development and quality of work.

Quality Without Compromise

TABLE OF CONTENTS

2	ABOUT US
4	TIMBER PALLET RANGE
6	LIGHT PALLET RANGE
8	HEAVY PALLET RANGE
16	HOLD DOWN BOLTING SYSTEMS
18	PVC BAGS & COVERS
20	INTERCEPT ANTI CORROSION PRODUCTS
22	CUSTOMISED TRANSPORT FRAMES & STORAGE SOLUTIONS
24	SPECIALISED TRANSPORT & STORAGE FRAMES
28	SPECIALISED ACCESS EQUIPMENT, STANDS & GUARDING
30	SPECIALISED TOOLING STORAGE & STEEL RACKS
34	SPECIALISED TRAILERS & CONTAINERS



BI TIMBER PALLET RANGE

Bryan Industries Timber Pallet



BI-TP1165/600/1T

WLL	2T
Ext Dimensions	L 1165 W 600 H 150
Compatability	Forklift
Complies with	ISPM Certification & ISO9001
Custom Sizes Available	POA



BI-TP1165/1165/2T

WLL	2T
Ext Dimensions	L 1165 W 1165 H 150
Compatability	Forklift
Complies with	ISPM Certification & ISO9001
Custom Sizes Available	POA



BI-TP1700/1165/2T

WLL	2T
Ext Dimensions	L 1700 W 1165 H 150
Compatability	Forklift
Complies with	ISPM Certification & ISO9001
Custom Sizes Available	POA



BI-TP2400/1165/2T

WLL	2T
Ext Dimensions	L 2400 W 1165 H 195
Compatability	Forklift
Complies with	ISPM Certification & ISO9001
Custom Sizes Available	POA



BI-TPC1165/1165

Description	Timber Pallet Collar
WLL	N/A
Ext Dimensions	L 1165 W 1165 H 195
Includes	4x Collar Hinges
Compatability	Light, Medium & Heavy Range
Complies with	ISPM Certification & ISO9001
Custom Sizes Available	POA



BI LIGHT PALLET RANGE

Bryan Industries Steel Pallet Grated Light




BI-SPGL1165/580/1T

WLL	1T
Ext Dimensions	L 1165 W 580 H 150
Includes	12x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPGL1150/840/1.5T

WLL	1.5T
Ext Dimensions	L 1150 W 840 H 150
Includes	8x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPGL1165/1.5T

WLL	1.5T
Ext Dimensions	L 1165 W 1165 H 150
Includes	12x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SPGL1700/1165/2T

WLL	2T
Ext Dimensions	L 1700 W 1165 H 150
Includes	12x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPGL2320/1165/2T

WLL	2T
Ext Dimensions	L 2320 W 1165 H 150
Includes	24x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI HEAVY PALLET RANGE

Bryan Industries Steel Pallet Grated Heavy




BI-SPG1165/580/1T

WLL	1T
Ext Dimensions	L 1165 W 580 H 194
Includes	4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPG1165/580/1TLD

WLL	1T
Ext Dimensions	L 1165 W 580 H 194
Includes	4x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPG1165/2T

WLL	2T
Ext Dimensions	L 1165 W 1165 H 194
Includes	4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPG1165/2TLD

WLL	2T
Ext Dimensions	L 1165 W 1165 H 194
Includes	4x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SPG1700/1165/2T

WLL	2T
Ext Dimensions	L 1700 W 1165 H 194
Includes	4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SPG1700/1165/2TLD

WLL	2T
Ext Dimensions	L 1700 W 1165 H 194
Includes	4x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI HEAVY PALLET RANGE

Bryan Industries Steel Pallet Grated Heavy



BI-SPG2320/1165/3T

WLL	3T
Ext Dimensions	L 2320 W 1165 H 194
Includes	4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPG2320/1165/3TLD

WLL	3T
Ext Dimensions	L 2320 W 1165 H 194
Includes	6x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPG2320/1500/3T

WLL	3T
Ext Dimensions	L 2320 W 1500 H 194
Includes	4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPG2320/1500/3TLD

WLL	3T
Ext Dimensions	L 2320 W 1500 H 194
Includes	6x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-SPG2320/3TLD

WLL	3T
Ext Dimensions	L 2320 W 2320 H 194
Includes	6x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SPG2320/1500/6T

WLL	6T
Ext Dimensions	L 2320 W 1500 H 232
Includes	8x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI HEAVY PALLET RANGE

Bryan Industries Steel Pallet Grated Heavy

BI-SPG2320/1500/6TLD-LP

WLL	6T
Ext Dimensions	L 2320 W 1500 H 232
Includes	6x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG2320/6TLD

WLL	6T
Ext Dimensions	L 2320 W 2320 H 232
Includes	6x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG3000/1500/6TLD-LP

WLL	6T
Ext Dimensions	L 3000 W 1500 H 232
Includes	8x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG3500/1800/6TLD

WLL	6T
Ext Dimensions	L 3500 W 1800 H 194
Includes	8x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG3500/1800/10TLD-LP

WLL	10T
Ext Dimensions	L 3500 W 1800 H 232
Includes	8x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA







BI-SPG2320/1500/10TLD-LP

WLL	10T
Ext Dimensions	L 2320 W 1500 H 232
Includes	8x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI HEAVY PALLET RANGE

Bryan Industries Steel Pallet Grated Heavy



BI-SPG2350/10TLD

WLL	10T
Ext Dimensions	L 2350 W 2350 H 232
Includes	8x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG3500/1500/10TLD

WLL	10T
Ext Dimensions	L 3500 W 1500 H 232
Includes	8x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG3600/2500/10TLD-LP

WLL	10T
Ext Dimensions	L 3600 W 2500 H 232
Includes	8x Component Lash Down Positions 8x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG3000/12TLD-LP

WLL	12T
Ext Dimensions	L 3000 W 3000 H 232
Includes	8x Truck Lash Down Positions 8x Component Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG3400/3000/16T

WLL	16T
Ext Dimensions	L 3400 W 3000 H 232
Includes	8x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA

BI-SPG2750/30TLD

WLL	30T
Ext Dimensions	L 2750 W 2750 H 282
Includes	8x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI HOLD DOWN BOLTING SYSTEM

Bryan Industries Hold Down Bolting Systems & Chocks

BI-MPHDB-16

Description	Multi Purpose Hold Down Bolt
Thread	M16
Thread Length	100/150/200
Includes	1x Eye Nut, 1x Keeper Plate, 1x Retainer Washer, 1x Hold Down Bolt
Compatability	All BI-SPG & BI-SPGL Pallet Range Including BI-SPAC Adjustable Chocks
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-MPHDB-20

Description	Multi Purpose Hold Down Bolt
Thread	M20
Thread Length	100/150/200
Includes	1x Eye Nut, 1x Keeper Plate, 1x Retainer Washer, 1x Hold Down Bolt
Compatability	All BI-SPG & BI-SPGL Pallet Range Including BI-SPAC Adjustable Chocks
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-HDB-M16

Description	Hold Down Bolt
Thread	M16
Thread Length	100/150/200
Includes	1x Nyloc Nut, 1x Flat Washer, 1x Keeper Plate, 1x Retainer Washer, 1x Hold Down Bolt
Compatability	All BI-SPG & BI-SPGL Pallet Range Including BI-SPAC Adjustable Chocks
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA




BI-HDB-M20

Description	Hold Down Bolt
Thread	M20
Thread Length	100/150/200
Includes	1x Nyloc Nut, 1x Flat Washer, 1x Keeper Plate, 1x Retainer Washer, 1x Hold Down Bolt
Compatability	All BI-SPG & BI-SPGL Pallet Range Including BI-SPAC Adjustable Chocks
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SPAC

Description	Adjustable Chocking System
WLL	3.9T
Rail Length	600/1000
Includes	1x Adjustable Rail, 2x System 88 Block A Chocks, 2x Chock Rail Pins & Clips
Compatability	All BI-SPG & BI-SPGL Pallet Range Including BI-MPHDB & BI-HDB Bolt Range
Complies with	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA





PVC BAGS & COVERS

Bryan Industries PVC Bags and Covers



PVC Covers

Custom Sizes	Various To Suit Pallets & Frames
Features	900gsm PVC 8x Year Design Life Weather & Corrosion Resistant Zip & Velcro Access Options Viewing Window & Nameplate Options
Compatability	Pallets & Hotel Frames
Compliance	ISO9001, AS2374 & AS1940 (110% Capacity)



PVC Bunded Bags

Custom Sizes	Various To Suit Component
Features	Encapsulated 900gsm PVC 8x Year Design Life High-Zip Clam Shell Design – For Easy Removal & Access PVC Canvas Shell Base – Leak Resistant Moisture Control – Internal Dessicant Pockets Weather & Corrosion Resistant Zip & Velcro Access Options Bund Tap Viewing Window & Nameplate
Compatability	Transformers & Motors
Compliance	ISO9001, AS2374 & AS1940 (110% Capacity)



INTERCEPT ANTI CORROSION PRODUCTS

Bryan Industries Intercept Anti Corrosion Products

INTERCEPT ANTI CORROSION PRODUCTS

Bryan Industries Intercept Anti Corrosion Products



URPF-010
Description Multi UV Heat Shrink Film
Dimensions 6m x 45m 200um Per Roll



URPF-116
Description Powershrink UV Plastic Film White
Dimensions 6m x 60m 200um Per Roll



URAO-RH-KIT
Description Humidity Indicator Kit-Clear PVC Rain Flap Cylinder ID Plate
Dimensions 120mm x 120mm
Custom Sizes Available POA



URAO-067
Description Flat Water Drain
Dimensions Drain 100mm x 100mm With Intercept Foam 50mm x 50mm
Custom Sizes Available POA



IA-4U-TY/ IA-8U-TY/ IA-16U-TY
Description Desiccant Clay Units
Dimensions MT 4/ MT 8/ MT 16



URTA-201
Description Yellow Indicator Tape
Dimensions 70mm x 40m Per Roll



URTA-121/URTA-131/ URTA-111
Description UV White Shrink Tape
Dimensions 50mm/100mm/150mm x 50m Per Rol



URAO-CP-S/URAO-CP-M/URAO-CP-L
Description Vinyl Sticker - Corrosion Protected
Dimensions Small 150mm x 100mm/125mm x 190mm/250mm x 190mm



URAO-DNC-S/URAO-DNC-M/ URAO-DNC-L
Description Vinyl Sticker - Do Not Cut
Dimensions Small 150mm x 100mm/125mm x 190mm/250mm x 190mm




URICC-FOAM300X200
Description Intercept Anti Corrosion Foam
Dimensions 300mm x 200mm x 10mm
Custom Sizes Available POA

Big enough to **deliver.**
Small enough to **care.**

CUSTOMISED **TRANSPORT FRAMES AND** **STORAGE SOLUTIONS**

The in house Bryan Industries team can 3D model, design, certify and manufacture any specialised or customised transport frames, steel pallets, access equipment, stands, racks and storage alternatives for all our customers. Our content experts and technical support team continually focus on the clients expectations to maintain a level of quality, safety performance and value through partnered relationships to ensure customer satisfaction from start to finish.





SPECIALISED TRANSPORT & STORAGE FRAMES



BI-SCTF/3T & BI-SCTF/10T	
Description	Stackable Cylinder Transport Frame
WLL	3T & 10T
Ext Dimensions	L 1100 W 740 H 808 & L 1760 W 1050 H 915
Includes	4x Component Lash Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SPTF/1.5T	
Description	Stackable Pump Transport Frame
WLL	1.5T
Ext Dimensions	L 4000 W 1230 H 1500
Includes	4x Component Lash Down Positions 2x Protection Barrier Ends 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SPB1375/1T	
Description	Stackable Pallet Box
WLL	1T
Ext Dimensions	L 1375 W 1375 H 1375
Includes	2x T Handle Locks 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SSPL/1.5T	
Description	Stackable Steel Pallet
WLL	1.5T
Ext Dimensions	L 1165 W 1165 H 1004
Includes	12x Component Lash Down Positions 4x Barrier Sides 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-SAMF/6T	
Description	Stackable & Adjustable Motor Transport Frame
WLL	6T
Ext Dimensions	L 2000 W 1200 H 1200
Includes	8x Adjustable Component Lash Down Positions 4x Rubber Isolators 4x Truck Lash Down Positions Certification & Identification Plaque
Compatability	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



SPECIALISED TRANSPORT & STORAGE FRAMES

BI-HTF-LP

Description	Hotel Transport Frame
WLL	6T To 20T
Ext Dimensions	Various To Suit Component
Includes	4x Component Lash Down Positions 4x Crane Lift Points 8x Truck Lash Down Positions 2x End Walls 1x Roof Canopy Certification & Identification Plaque
Compatibility	Forklift & Cranes
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-793C/RTF, BI-789C/RTF & BI-789D/RTF

Description	Radiator Transport Frame
WLL	1.8T
Ext Dimensions	Various To Suit Component
Includes	4x Component Bolt Down Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-DBTF/D11R

Description	Dozer Blade Transport Frame
WLL	13T
Ext Dimensions	Various To Suit Component
Includes	4x Component Lash Down Positions 2x Component Pinned Positions 2x Component Adjustable Stops 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-HLTF/6040 & BI-HLTF/6060


Description	H Link Transport Frame
WLL	5T
Ext Dimensions	L 2400 W 2150 H 600c
Includes	4x Component Lash Down Positions 4x Crane Lift Points 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift & Cranes
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA



BI-CR & BI-CRS

Description	Cable Reels & Cable Reel Stands
WLL	500kg To 6T
Ext Dimensions	Various To Suit Component
Includes	2x Component Lash Down Positions 2x Component Pinned Positions 4x Truck Lash Down Positions Certification & Identification Plaque
Compatibility	Forklift
Compliance	AS3990, NTC Load Restraint Guide 2018 & ISO9001
Custom Sizes Available	POA





SPECIALISED ACCESS EQUIPMENT, STANDS & GUARDING



Description	Machine Access Stairs & Platforms
Models	785, 789, 793, 797, 830, 930, D10, D11, EX1200, 6040 6060, 9800, WA1200, PV235, PV275
Ext Dimensions	Various To Suit Machine
Includes	Various To Suit Machine Certification & Identification Plaque
Compatability	Various To Suit Machine
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Description	Machine Stands
WLL	1T To 100T
Models	282, 785, 789, 793, 797, 830, 930, D10, D11
Ext Dimensions	Various To Suit Machine
Includes	Various To Suit Machine Certification & Identification Plaque
Compatability	Various To Suit Machine
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Description	Tray Stands & Trestles
WLL	35T To 100T
Models	282, 785, 789, 793, 797, 830, 930
Ext Dimensions	Various To Suit Machine
Includes	Various To Suit Machine Certification & Identification Plaque
Compatability	Various To Suit Machine
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Description	Digger Track Guards & Covers
Models	1200, 5600, 6030, 6040, 6060, 8000, 9800
Ext Dimensions	Various To Suit Machine
Includes	Various To Suit Machine Certification & Identification Plaque
Compatability	Various To Suit Machine
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Description	Call Signs & Skid Signs
Ext Dimensions	L 2000 W1235 H 2000
Includes	4x Tow Positions 2x Tow Chains Certification & Identification Plaque
Compatability	All Conditions
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



SPECIALISED TOOLING STORAGE & STEEL RACKS



Tooling & Equipment Lockers

Ext Dimensions	L 1150 W 850 H 2130
Includes	Various To Suit Custom Door & Drawer Orientations Fixed Or Castor Wheel Options Certification & Identification Plaque
Finish	Stainless Steel, Powder Coated Or Spec Painted
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Parts Box

WLL	1T
Ext Dimensions	L 1375 W 1375 H 1375
Includes	2x T Handle Locks 4x Truck Lash Down Positions Certification & Identification Plaque
Finish	Powder Coated Or Spec Painted
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Work Trolleys

Ext Dimensions	L 1005 W 595 H 850
Includes	Various To Suit Custom Door & Drawer Orientations Fixed Or Castor Wheel Options 2x Fixed Handles Certification & Identification Plaque
Finish	Stainless Steel, Powder Coated Or Spec Painted
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Cleaning Stations

Ext Dimensions	L 1795 W 775 H 1050
Includes	Various To Suit Custom Lid & Storage Orientations Fixed Or Castor Wheel Options Certification & Identification Plaque
Finish	Stainless Steel, Powder Coated Or Spec Painted
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Adjustable Work Benches

Ext Dimensions	L 2400 W 1200 H 650-1300
Includes	Various To Suit Custom Mechanical Or Manual Lifting Functions Fixed Or Castor Wheel Options Fixed Height Options 2x 200mm Vices Certification & Identification Plaque
Finish	Spec Painted
Compatibility	Forklift
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



SPECIALISED TOOLING STORAGE & STEEL RACKS

Steel Racks

Ext Dimensions	Various To Suit Material Sizes & Orientations
Includes	Various To Suit Material Sizes & Orientations Fixed Height Options Certification & Identification Plaque
Finish	Spec Painted Or Galvanized
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Plate Racks

Ext Dimensions	Various To Suit Material Sizes & Orientations
Includes	Various To Suit Material Sizes & Orientations Fixed Height Options Certification & Identification Plaque
Finish	Spec Painted Or Galvanized
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Chain Racks

Ext Dimensions	Various To Suit Rigging Sizes & Orientations
Includes	Various To Suit Rigging Quantities & Orientations Fixed Height Options Certification & Identification Plaque
Finish	Spec Painted Or Galvanized
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Stackable Cylinder Trolleys

WLL	1T
Ext Dimensions	L 750 W 750 H 745
Includes	4x Component Lash Down Positions 4x Swivel Castor Wheel Options 250kg 4x Handle Positions Certification & Identification Plaque
Finish	Spec Painted Or Galvanized
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Multibolter & Bolt Pods

WLL	1T
Ext Dimensions	Various To Suit Multibolter Orientations
Includes	4x Component Lash Down Lugs 2x Pod Tow Positions Fixed Height Options Certification & Identification Plaque
Finish	Spec Painted
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA





SPECIALISED TRAILERS & CONTAINERS

Welding Trailers

GVM	1.5T To 5T
Ext Dimensions	Various To Suit Custom Applications
Includes	Various To Suit Custom Applications Single & Tandem Axle Options Multiple Tool Box & Storage Box Options Generator & Inverter Power Options Certification & Identification Plaque
Finish	Spec Painted Or Galvanized
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Generator & Hydro Trailers

GVM	3.5T To 6T
Ext Dimensions	Various To Suit Custom Applications
Includes	Various To Suit Custom Applications Single & Tandem Axle Options Multiple Tool Box & Storage Box Options Generator & Inverter Power Options Certification & Identification Plaque
Finish	Spec Painted Or Galvanized
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Plant & Box Trailers

GVM	1.5T To 3.5T
Ext Dimensions	Various To Suit Custom Applications
Includes	Various To Suit Custom Applications Single & Tandem Axle Options Drop Side & Storage Box Options Manual & Hydraulic Tipping Options Certification & Identification Plaque
Finish	Spec Painted
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Diesel Trailers

Volume	1,000L To 2,000L
GVM	1.5T To 3.5T
Ext Dimensions	Various To Suit Custom Applications
Includes	Various To Suit Custom Applications Single & Tandem Axle Options Storage Box Options Manual & Hydraulic Pumping Options Certification & Identification Plaque
Finish	Spec Painted
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA



Tooling & Rigging Containers

Ext Dimensions	20ft & 40ft (General Purpose)
Includes	Various To Suit Custom Applications Solar & Inverter Power Options 240v Power Options Multiple Shelving & Racking Options Multiple PA & Roller Door Access Options Extraction Fan Options
Finish	Spec Painted
Compatibility	Forklift & Crane
Compliance	AS3990 & ISO9001
Custom Sizes Available	POA





BRYAN INDUSTRIES

CONTACT US

PAGET

25 Interlink Court Paget QLD 4740

Phone 07 4959 1381

Facsimile 07 4959 1402

OFFICE HOURS

Mon - Thurs 6:00am - 4:00pm

Fri 6:00am - 1:00pm

MIRANI YARD

2751 Mackay Eungella Road, Mirani QLD 4754

CLINTON VENZ

General Manager

Mobile 0488 591 000

Email clinton@bryanindustries.com.au

ADRIAN PATEL

Business Manager

Mobile 0429 391 251

Email adrianpatel@bryanindustries.com.au

WAYNE CHIVERS

Field Service Manager

Mobile 0484 118 615

Email wayne@bryanindustries.com.au

MATT ATTARD

Operations Manager

Mobile 0400 591 390

Email matt@bryanindustries.com.au

WORK WITH US

